


Flexible On-metal UHF RFID Label Product Datasheet


Model: F7030-3




Flexible On-metal UHF RFID Labels are a cutting-edge solution designed for seamless application on metallic assets, including irregular and uneven surfaces. Constructed from thin, adaptable materials, these labels outperform traditional RFID tags by conforming effortlessly to flat, curved, or even liquid-containing metal surfaces. Their flexibility ensures reliable performance and superior durability, making them ideal for tracking a wide range of assets such as shelves, containers, electronics, and cosmetics.

Like standard RFID labels, these tags can be printed and encoded using compatible RFID printers, allowing for easy customization with logos, barcodes, and other visual elements. This integration simplifies asset management workflows, enabling quick and efficient identification, tracking, and monitoring of valuable resources. Whether for industrial or commercial use, Flexible On-metal UHF RFID Labels provide a versatile and durable solution for optimizing asset management processes.

Dimensions:



Read Range:



Product Parameters

Mdoel	F7030-3
Material	PET/Aluminum Foil/Foam
Dimensions	70 x 30 x 0.6 mm (L x W x T)
Working Temp	-40~+85℃
Storage Temp	-40~+100℃
IP Rating	IP68, test for 5 hours at 1m deep water
RFID Standard	EPC C1G2 (ISO18000-6C)

Chip Type Impinj Monza R6/R6-P/R6-A

Memory	R6: User -N/A; EPC – 96 bits; TID - 48 bits R6-A: User -N/A; EPC – 96 bits; TID - 48 bits R6-P: User -32(64) bits; EPC – 128(96) bits; TID - 48 bits
--------	--

Read Range(Fixed Reader FCC) 6.5m, on metal

Read Range(Fixed Reader ETS I)	6.0m, on metal
--------------------------------	----------------

Data Storage > 10 years

Re-write	100000 times
----------	--------------

Installation Adhesive

Support Printer	SATO CL4NX, Zebra ZT410 Silverline, Postek TX3r, etc.
-----------------	---

Customization Logo, parcode/QR coae, number printing, encoding, antenna design, et c.

Package	Reel core inner diameter: 76.2 mm / 3" , Outside diameter < 220 mm / 8.7", 500pcs/roll.
---------	--

Application Metallic container tracking | Equipment& device tracking
Warehouse shelf Management | IT asset tracking, etc.

Application

